Court USB production (August 28, 2026) · thread T18

Texas PIA ? Three Separate Requests (Please Assign Separate Tracking Nos.) ? Walmart Supercenter #131, 2311 S. Jefferson Ave., Mount Pleasant, TX ? 1/1/2021?10/18/2025

6 message(s), 2025-10-18 · 2025-10-31. Public copy: personal contact details and excluded-subject material boxed.

1. 2025-10-18 18:04 Kyle Moring · 0 att.
2. 2025-10-31 14:06 Candias Webster · 0 att.
3. 2025-10-31 14:32 Kyle Moring · 0 att.
4. 2025-10-31 20:10 Kyle Moring · 0 att.
5. 2025-10-31 20:29 Candias Webster · 4 att.
6. 2025-10-31 21:16 Austin Beck · 0 att.

From:	Kyle Moring <[redacted]>
To:	Candias Webster <cwebster@mpcity.org>
Cc:	Austin Beck <abeck@dtrglaw.com>
Date:	2025-10-18 18:04:26+00:00
Subject:	**Texas PIA – Three Separate Requests (Please Assign Separate Tracking Nos.) – Walmart Supercenter #131, 2311 S. Jefferson Ave., Mount Pleasant, TX – 1/1/2021–10/18/2025**
Attachments:	—
USB file:	Texas PIA – Three Separate Requests (Please Assign Separate Tracking Nos.) – Walmart Supercenter #131, 2311 S. Jefferson Ave.msg

CAUTION: [EXTERNAL EMAIL]

Good afternoon,

Pursuant to the **Texas Public Information Act (Texas Gov't Code ch. 552)**, I am submitting **three separate public information requests** concerning **Walmart Supercenter #131, 2311 S. Jefferson Ave., Mount Pleasant, Texas 75455**, for the date range **January 1, 2021, through October 18, 2025**. I am sending them in one email for convenience, but **please treat each numbered item below as a separate request, assign a distinct tracking number to each, and process them independently (including separate cost estimates and timelines).**

Common parameters for all three requests

- **Date range:** 1/1/2021–10/18/2025
- **Location:** Walmart Supercenter #131, 2311 S. Jefferson Ave., Mount Pleasant, TX 75455 (include adjacent city-owned sewer/storm infrastructure serving the site).
- **Delivery format:** Electronic production only—PDF for documents; CSV/Excel for tabular data/exports; native **.msg/.pst** for emails where feasible; original digital format for media (e.g., CCTV videos). Please deliver by email or a download link.
- **Search terms to aid retrieval:** "Walmart," "Wal-Mart," "Store 131," "2311 S Jefferson," "fire watch," "impairment," "sprinkler," "alarm," "system out of service," "sewer," "line break," "repair," "CCTV," "SSO," "overflow," "illicit discharge," "stormwater," "FOG," "grease."
- **Fees:** If estimated charges **exceed $100**, please send an **itemized estimate under §552.2615** before proceeding. I consent to **rolling/partial production**.
- **Redactions/withholding:** If you assert any exceptions, please **seek an Attorney General ruling under §552.301** and release all **segregable** information.

Request #1 – Fire Department/Fire Marshal (Fire Watch & Fire System Impairments)

Please route to: Fire Department / Fire Marshal

1. All records that **mention, impose, or document a "fire watch"** at the above location, including: fire watch orders/directives, impairment notifications/approvals, notices of violation/correction, inspection notes, re-inspection results, clearance/return-to-service documentation, and any **fire watch logs** supplied by the facility.
2. All records of **fire protection system impairments** (fire alarm, sprinkler, fire pump, kitchen hood suppression), including impairment forms, acceptance/functional test results, and any attachments (photos/diagrams).
3. **Correspondence (including email with attachments)** between Fire Department/Fire Marshal personnel and Walmart staff, property managers, or contractors **referencing fire watch or impaired fire protection systems** at this site.
4. Any incident/inspection reports coded with or referencing: *fire watch, alarm trouble, alarm out of service, sprinkler impairment, system impairment*, or similar terminology for this site.

Request #2 – Utilities/Public Works (Wastewater, Sewer, Stormwater/MS4, FOG/Grease)

Please route to: Utilities/Public Works (Wastewater Collection, Stormwater/MS4, Permitting/ROW)

1. **Sanitary sewer**: work orders, service requests, emergency responses, **line break/repair reports**, **CCTV inspection videos and logs**, smoke/dye test results, cleaning/jetting logs, and maps/as-builts for the collection system serving the site and any work performed in the **parking lot/frontage**.
2. **SSO/unauthorized discharge** records and reports (including TCEQ notifications), field notes, photos, corrective actions, and post-incident summaries in or affecting the site.
3. **FOG/grease** program records involving Walmart #131 or food service tenants within it: grease trap/interceptor inspection reports, pump-out/manifests (if held), notices of violation, enforcement actions, correspondence, and compliance follow-ups.
4. **Stormwater/MS4**: illicit discharge complaints/investigations, inspections, enforcement actions, photos, and any records of **non-stormwater discharges (e.g., grease) to storm drains** associated with the site.
5. **Permits**: right-of-way/street-cut/excavation permits, utility connection/tap records, and **locate/mark-out** tickets related to sewer/storm infrastructure at or immediately adjacent to the store.

6. **Correspondence (including email with attachments)** among Utilities/Public Works, Code/Permitting, the City Manager's Office, and Walmart or its contractors regarding **sewer/stormwater issues, line breaks/repairs, SSOs, illicit discharges, or FOG** at this location.

Request #3 – Cross-Department Emails, Permits & Code/Building Records

Please route to: City Manager's Office, City Secretary, Building/Permitting, Code Compliance, Fire, Utilities/Public Works (as appropriate)

1. **Emails (with attachments)** among the City Manager's Office, City Secretary, Building/Permitting, Code Compliance, Fire Department, Utilities/Public Works, and outside parties (Walmart, property managers, and contractors) **concerning any "fire watch," fire protection system impairment, sewer/wastewater/stormwater issue, SSO, illicit discharge, grease/FOG, or related excavation/repair at this site**.
    - **Email fields requested:** From/To/CC/BCC, Subject, Date/Time, full message body, and all attachments.
    - **Preferred formats:** native **.msg/.pst** if feasible; otherwise, PDF with attachments preserved.
2. **Permits/approvals** not captured elsewhere, including **building permits**, **special inspections**, or site plan adjustments relating to **fire protection impairments** or **sewer/storm repairs** at this location.
3. Any **internal memoranda, briefings, or meeting notes** specifically addressing **fire watch** periods or **wastewater/stormwater incidents** at this store.

Important: I am **not** submitting my **Police/Dispatch (CAD/911)** request in this email; I will send that request separately.

Please confirm receipt of this email and provide the **three separate tracking numbers**, along with the assigned point of contact for each request. Do not hesitate to contact me if narrowing would materially reduce cost or time.

Thank you for your assistance.

With gratitude,

Kyle Moring

[redacted] | [redacted]

From:	Candias Webster
To:	Kyle Moring <[redacted]>
Cc:	Austin Beck <abeck@dtrglaw.com>
Date:	2025-10-31 14:06:18.577962+00:00
Subject:	**RE: Texas PIA – Three Separate Requests (Please Assign Separate Tracking Nos.) – Walmart Supercenter #131, 2311 S. Jefferson Ave., Mount Pleasant, TX – 1/1/2021–10/18/2025**
Attachments:	—
USB file:	RE Texas PIA – Three Separate Requests (Please Assign Separate Tracking Nos.) – Walmart Supercenter #131, 2311 S. Jefferson Ave.msg

Good morning, Mr. Moring,

Your request on October 20, 2025, titled "Texas PIA – Three Separate Requests (Please Assign Separate Tracking Nos.) – Walmart Supercenter #131, 2311 S. Jefferson Ave., Mount Pleasant, TX – 1/1/2021–10/18/2025" will result in a $15 charge.

Thank you,
Candias Webster, TRMC, CMC
Assistant City Manager/ City Secretary
City of Mt. Pleasant
Office: 903-575-4154
Cell: [redacted]
Fax: 903-577-1828

ATTENTION OFFICIALS: A "Reply to All" on this e-mail or reply or forward to one other official could lead to violations of the Texas Open Meetings Act. Please reply only to the sender.

CONFIDENTIALITY NOTICE: This e-mail is intended solely for the person or entity to which it is addressed and may contain confidential and/or privileged information. Any review, dissemination, copying, printing, or other use of this e-mail by persons or entities other than the addressee is prohibited. If you have received this e-mail in error, please contact the sender immediately and delete the material from your computer.

From: Kyle Moring <[redacted]>
Sent: Saturday, October 18, 2025 1:04 PM
To: Candias Webster <cwebster@mpcity.org>
Cc: Austin Beck <abeck@dtrglaw.com>
Subject: Texas PIA – Three Separate Requests (Please Assign Separate Tracking Nos.) – Walmart Supercenter #131, 2311 S. Jefferson Ave., Mount Pleasant, TX – 1/1/2021–10/18/2025

CAUTION: [EXTERNAL EMAIL]

Good afternoon,

Pursuant to the **Texas Public Information Act (Texas Gov't Code ch. 552)**, I am submitting **three separate public information requests** concerning **Walmart Supercenter #131, 2311 S. Jefferson Ave., Mount Pleasant, Texas 75455**, for the date range **January 1, 2021, through October 18, 2025**. I am sending them in one email for convenience, but **please treat each numbered item below as a separate request, assign a distinct tracking number to each, and process them independently (including separate cost estimates and timelines).**

Common parameters for all three requests

- **Date range:** 1/1/2021–10/18/2025
- **Location:** Walmart Supercenter #131, 2311 S. Jefferson Ave., Mount Pleasant, TX 75455 (include adjacent city-owned sewer/storm infrastructure serving the site).
- **Delivery format:** Electronic production only—PDF for documents; CSV/Excel for tabular data/exports; native **.msg/.pst** for emails where feasible; original digital format for media (e.g., CCTV videos). Please deliver by email or a download link.
- **Search terms to aid retrieval:** "Walmart," "Wal-Mart," "Store 131," "2311 S Jefferson," "fire watch," "impairment," "sprinkler," "alarm," "system out of service," "sewer," "line break," "repair," "CCTV," "SSO," "overflow," "illicit discharge," "stormwater," "FOG," "grease."
- **Fees:** If estimated charges **exceed $100**, please send an **itemized estimate under §552.2615** before proceeding. I consent to **rolling/partial production**.
- **Redactions/withholding:** If you assert any exceptions, please **seek an Attorney General ruling under §552.301** and release all **segregable** information.

Request #1 – Fire Department/Fire Marshal (Fire Watch & Fire System Impairments)

Please route to: Fire Department / Fire Marshal

1. All records that **mention, impose, or document a "fire watch"** at the above location, including: fire watch orders/directives, impairment notifications/approvals, notices of violation/correction, inspection notes, re-inspection results, clearance/return-to-service documentation, and any **fire watch logs** supplied by the facility.
2. All records of **fire protection system impairments** (fire alarm, sprinkler, fire pump, kitchen hood suppression), including impairment forms, acceptance/functional test results, and any attachments (photos/diagrams).
3. **Correspondence (including email with attachments)** between Fire Department/Fire Marshal personnel and Walmart staff, property managers, or contractors **referencing fire watch or impaired fire protection systems** at this site.
4. Any incident/inspection reports coded with or referencing: *fire watch, alarm trouble, alarm out of service, sprinkler impairment, system impairment*, or similar terminology for this site.

Request #2 – Utilities/Public Works (Wastewater, Sewer, Stormwater/MS4, FOG/Grease)

Please route to: Utilities/Public Works (Wastewater Collection, Stormwater/MS4, Permitting/ROW)

1. **Sanitary sewer**: work orders, service requests, emergency responses, **line break/repair reports**, **CCTV inspection videos and logs**, smoke/dye test results, cleaning/jetting logs, and maps/as-builts for the collection system serving the site and any work performed in the **parking lot/frontage**.
2. **SSO/unauthorized discharge** records and reports (including TCEQ notifications), field notes, photos, corrective actions, and post-incident summaries in or affecting the site.
3. **FOG/grease** program records involving Walmart #131 or food service tenants within it: grease trap/interceptor inspection reports, pump-out/manifests (if held), notices of violation, enforcement actions, correspondence, and compliance follow-ups.
4. **Stormwater/MS4**: illicit discharge complaints/investigations, inspections, enforcement actions, photos, and any records of **non-stormwater discharges (e.g., grease) to storm drains** associated with the site.
5. **Permits**: right-of-way/street-cut/excavation permits, utility connection/tap records, and **locate/mark-out** tickets related to sewer/storm infrastructure at or immediately adjacent to the store.
6. **Correspondence (including email with attachments)** among Utilities/Public Works, Code/Permitting, the City Manager's Office, and Walmart or its contractors regarding **sewer/stormwater issues, line breaks/repairs, SSOs, illicit discharges, or FOG** at this location.

Request #3 – Cross-Department Emails, Permits & Code/Building Records

Please route to: City Manager's Office, City Secretary, Building/Permitting, Code Compliance, Fire, Utilities/Public Works (as appropriate)

1. **Emails (with attachments)** among the City Manager's Office, City Secretary, Building/Permitting, Code Compliance, Fire Department, Utilities/Public Works, and outside parties (Walmart, property managers, and contractors) **concerning any "fire watch," fire protection system impairment, sewer/wastewater/stormwater issue, SSO, illicit discharge, grease/FOG, or related excavation/repair at this site**.
    - **Email fields requested:** From/To/CC/BCC, Subject, Date/Time, full message body, and all attachments.
    - **Preferred formats:** native **.msg/.pst** if feasible; otherwise, PDF with attachments preserved.
2. **Permits/approvals** not captured elsewhere, including **building permits**, **special inspections**, or site plan adjustments relating to **fire protection impairments** or **sewer/storm repairs** at this location.
3. Any **internal memoranda, briefings, or meeting notes** specifically addressing **fire watch** periods or **wastewater/stormwater incidents** at this store.

Important: I am **not** submitting my **Police/Dispatch (CAD/911)** request in this email; I will send that request separately.

Please confirm receipt of this email and provide the **three separate tracking numbers**, along with the assigned point of contact for each request. Do not hesitate to contact me if narrowing would materially reduce cost or time.

Thank you for your assistance.

With gratitude,

Kyle Moring

[redacted] | [redacted]

From:	Kyle Moring <[redacted]>
To:	Candias Webster <cwebster@mpcity.org>
Cc:	Austin Beck <abeck@dtrglaw.com>
Date:	2025-10-31 14:32:53+00:00
Subject:	**Re: Texas PIA – Three Separate Requests (Please Assign Separate Tracking Nos.) – Walmart Supercenter #131, 2311 S. Jefferson Ave., Mount Pleasant, TX – 1/1/2021–10/18/2025**
Attachments:	—
USB file:	Re Texas PIA – Three Separate Requests (Please Assign Separate Tracking Nos.) – Walmart Supercenter #131, 2311 S. Jefferson Ave_2.msg

CAUTION: [EXTERNAL EMAIL]

Ms. Webster,

For my records, could you please provide an itemized receipt (including tasks & minutes, page counts by format, unit rates, and any applicable overhead/media costs)?

Additionally, how would you prefer me to pay for these documents (in person, by phone, or online)?

With gratitude,

Kyle Moring

[redacted] | [redacted]

On Oct 31, 2025, at 9:06 AM, Candias Webster <cwebster@mpcity.org> wrote:

Good morning, Mr. Moring,

Your request on October 20, 2025, titled "Texas PIA – Three Separate Requests (Please Assign Separate Tracking Nos.) – Walmart Supercenter #131, 2311 S. Jefferson Ave., Mount Pleasant, TX – 1/1/2021–10/18/2025" will result in a $15 charge.

Thank you,
Candias Webster, TRMC, CMC
Assistant City Manager/ City Secretary
City of Mt. Pleasant
Office: 903-575-4154
Cell: [redacted]
Fax: 903-577-1828

ATTENTION OFFICIALS: A "Reply to All" on this e-mail or reply or forward to one other official could lead to violations of the Texas Open Meetings Act. Please reply only to the sender.

CONFIDENTIALITY NOTICE: This e-mail is intended solely for the person or entity to which it is addressed and may contain confidential and/or privileged information. Any review, dissemination, copying, printing, or other use of this e-mail by persons or entities other than the addressee is prohibited. If you have received this e-mail in error, please contact the sender immediately and delete the material from your computer.

From: Kyle Moring <[redacted]>
Sent: Saturday, October 18, 2025 1:04 PM
To: Candias Webster <cwebster@mpcity.org>
Cc: Austin Beck <abeck@dtrglaw.com>
Subject: Texas PIA – Three Separate Requests (Please Assign Separate Tracking Nos.) – Walmart Supercenter #131, 2311 S. Jefferson Ave., Mount Pleasant, TX – 1/1/2021–10/18/2025

CAUTION: [EXTERNAL EMAIL]

Good afternoon,

Pursuant to the **Texas Public Information Act (Texas Gov't Code ch. 552)**, I am submitting **three separate public information requests** concerning **Walmart Supercenter #131, 2311 S. Jefferson Ave., Mount Pleasant, Texas 75455**, for the date range **January 1, 2021, through October 18, 2025**. I am sending them in one email for

convenience, but **please treat each numbered item below as a separate request, assign a distinct tracking number to each, and process them independently (including separate cost estimates and timelines).**

Common parameters for all three requests

- **Date range:** 1/1/2021–10/18/2025
- **Location:** Walmart Supercenter #131, 2311 S. Jefferson Ave., Mount Pleasant, TX 75455 (include adjacent city-owned sewer/storm infrastructure serving the site).
- **Delivery format:** Electronic production only—PDF for documents; CSV/Excel for tabular data/exports; native **.msg/.pst** for emails where feasible; original digital format for media (e.g., CCTV videos). Please deliver by email or a download link.
- **Search terms to aid retrieval:** "Walmart," "Wal-Mart," "Store 131," "2311 S Jefferson," "fire watch," "impairment," "sprinkler," "alarm," "system out of service," "sewer," "line break," "repair," "CCTV," "SSO," "overflow," "illicit discharge," "stormwater," "FOG," "grease."
- **Fees:** If estimated charges **exceed $100**, please send an **itemized estimate under §552.2615** before proceeding. I consent to **rolling/partial production**.
- **Redactions/withholding:** If you assert any exceptions, please **seek an Attorney General ruling under §552.301** and release all **segregable** information.

Request #1 – Fire Department/Fire Marshal (Fire Watch & Fire System Impairments)

Please route to: Fire Department / Fire Marshal

1. All records that **mention, impose, or document a "fire watch"** at the above location, including: fire watch orders/directives, impairment notifications/approvals, notices of violation/correction, inspection notes, re-inspection results, clearance/return-to-service documentation, and any **fire watch logs** supplied by the facility.
2. All records of **fire protection system impairments** (fire alarm, sprinkler, fire pump, kitchen hood suppression), including impairment forms, acceptance/functional test results, and any attachments (photos/diagrams).
3. **Correspondence (including email with attachments)** between Fire Department/Fire Marshal personnel and Walmart staff, property managers, or contractors **referencing fire watch or impaired fire protection systems** at this site.
4. Any incident/inspection reports coded with or referencing: *fire watch, alarm trouble, alarm out of service, sprinkler impairment, system impairment*, or similar terminology for this site.

Request #2 – Utilities/Public Works (Wastewater, Sewer, Stormwater/MS4, FOG/Grease)

Please route to: Utilities/Public Works (Wastewater Collection, Stormwater/MS4, Permitting/ROW)

1. **Sanitary sewer**: work orders, service requests, emergency responses, **line break/repair reports**, **CCTV inspection videos and logs**, smoke/dye test results, cleaning/jetting logs, and maps/as-builts for the collection system serving the site and any work performed in the **parking lot/frontage**.
2. **SSO/unauthorized discharge** records and reports (including TCEQ notifications), field notes, photos, corrective actions, and post-incident summaries in or affecting the site.
3. **FOG/grease** program records involving Walmart #131 or food service tenants within it: grease trap/interceptor inspection reports, pump-out/manifests (if held), notices of violation, enforcement actions, correspondence, and compliance follow-ups.
4. **Stormwater/MS4**: illicit discharge complaints/investigations, inspections, enforcement actions, photos, and any records of **non-stormwater discharges (e.g., grease) to storm drains** associated with the site.
5. **Permits**: right-of-way/street-cut/excavation permits, utility connection/tap records, and **locate/mark-out** tickets related to sewer/storm infrastructure at or immediately adjacent to the store.
6. **Correspondence (including email with attachments)** among Utilities/Public Works, Code/Permitting, the City Manager's Office, and Walmart or its contractors regarding **sewer/stormwater issues, line breaks/repairs, SSOs, illicit discharges, or FOG** at this location.

Request #3 – Cross-Department Emails, Permits & Code/Building Records

Please route to: City Manager's Office, City Secretary, Building/Permitting, Code Compliance, Fire, Utilities/Public Works (as appropriate)

1. **Emails (with attachments)** among the City Manager's Office, City Secretary, Building/Permitting, Code Compliance, Fire Department, Utilities/Public Works, and outside parties (Walmart, property managers, and contractors) **concerning any "fire watch," fire protection system impairment, sewer/wastewater/stormwater issue, SSO, illicit discharge, grease/FOG, or related excavation/repair at this site**.
    - **Email fields requested:** From/To/CC/BCC, Subject, Date/Time, full message body, and all attachments.

- **Preferred formats:** native **.msg/.pst** if feasible; otherwise, PDF with attachments preserved.

2. **Permits/approvals** not captured elsewhere, including **building permits**, **special inspections**, or site plan adjustments relating to **fire protection impairments** or **sewer/storm repairs** at this location.
3. Any **internal memoranda, briefings, or meeting notes** specifically addressing **fire watch** periods or **wastewater/stormwater incidents** at this store.

Important: I am **not** submitting my **Police/Dispatch (CAD/911)** request in this email; I will send that request separately.

Please confirm receipt of this email and provide the **three separate tracking numbers**, along with the assigned point of contact for each request. Do not hesitate to contact me if narrowing would materially reduce cost or time.

Thank you for your assistance.

With gratitude,

Kyle Moring

[redacted] | [redacted]

From:	Kyle Moring <[redacted]>
To:	Candias Webster <cwebster@mpcity.org>
Cc:	Austin Beck <abeck@dtrglaw.com>
Date:	2025-10-31 20:10:25+00:00
Subject:	**Re: Texas PIA – Three Separate Requests (Please Assign Separate Tracking Nos.) – Walmart Supercenter #131, 2311 S. Jefferson Ave., Mount Pleasant, TX – 1/1/2021–10/18/2025**
Attachments:	—
USB file:	Re Texas PIA – Three Separate Requests (Please Assign Separate Tracking Nos.) – Walmart Supercenter #131, 2311 S. Jefferson Ave_3.msg

CAUTION: [EXTERNAL EMAIL]

Ms. Webster,

This message is to confirm that I paid Ms. Karina Memije for the records today at the Municipal Building at approximately **1:12 p.m.** Please let me know if any additional steps are required on my end to receive the requested records.

With gratitude,

Kyle Moring

[redacted] | [redacted]

On Oct 31, 2025, at 9:32 AM, Kyle Moring <[redacted]> wrote:

Ms. Webster,

For my records, could you please provide an itemized receipt (including tasks & minutes, page counts by format, unit rates, and any applicable overhead/media costs)?

Additionally, how would you prefer me to pay for these documents (in person, by phone, or online)?

With gratitude,

Kyle Moring

[redacted] | [redacted]

On Oct 31, 2025, at 9:06 AM, Candias Webster <cwebster@mpcity.org> wrote:

Good morning, Mr. Moring,

Your request on October 20, 2025, titled "Texas PIA – Three Separate Requests (Please Assign Separate Tracking Nos.) – Walmart Supercenter #131, 2311 S. Jefferson Ave., Mount Pleasant, TX – 1/1/2021–10/18/2025" will result in a $15 charge.

Thank you,
Candias Webster, TRMC, CMC
Assistant City Manager/ City Secretary
City of Mt. Pleasant
Office: 903-575-4154
Cell: [redacted]
Fax: 903-577-1828

ATTENTION OFFICIALS: A "Reply to All" on this e-mail or reply or forward to one other official could lead to violations of the Texas Open Meetings Act. Please reply only to the sender.

CONFIDENTIALITY NOTICE: This e-mail is intended solely for the person or entity to which it is addressed and may contain confidential and/or privileged information. Any review, dissemination, copying, printing, or other use of this e-mail by persons or entities other than the addressee is prohibited. If you have received this e-mail in error, please contact the sender immediately and delete the material from your computer.

From: Kyle Moring <[redacted]>
Sent: Saturday, October 18, 2025 1:04 PM
To: Candias Webster <cwebster@mpcity.org>
Cc: Austin Beck <abeck@dtrglaw.com>
Subject: Texas PIA – Three Separate Requests (Please Assign Separate Tracking Nos.) – Walmart Supercenter #131, 2311 S. Jefferson Ave., Mount Pleasant, TX – 1/1/2021–10/18/2025

CAUTION: [EXTERNAL EMAIL]

Good afternoon,

Pursuant to the **Texas Public Information Act (Texas Gov't Code ch. 552)**, I am submitting **three separate public information requests** concerning **Walmart Supercenter #131, 2311 S. Jefferson Ave., Mount Pleasant, Texas 75455**, for the date range **January 1, 2021, through October 18, 2025**. I am sending them in one email for convenience, but **please treat each numbered item below as a separate request, assign a distinct tracking number to each, and process them independently (including separate cost estimates and timelines).**

Common parameters for all three requests

- **Date range:** 1/1/2021–10/18/2025
- **Location:** Walmart Supercenter #131, 2311 S. Jefferson Ave., Mount Pleasant, TX 75455 (include adjacent city-owned sewer/storm infrastructure serving the site).
- **Delivery format:** Electronic production only—PDF for documents; CSV/Excel for tabular data/exports; native **.msg/.pst** for emails where feasible; original digital format for media (e.g., CCTV videos). Please deliver by email or a download link.
- **Search terms to aid retrieval:** "Walmart," "Wal-Mart," "Store 131," "2311 S Jefferson," "fire watch," "impairment," "sprinkler," "alarm," "system out of service," "sewer," "line break," "repair," "CCTV," "SSO," "overflow," "illicit discharge," "stormwater," "FOG," "grease."
- **Fees:** If estimated charges **exceed $100**, please send an **itemized estimate under §552.2615** before proceeding. I consent to **rolling/partial production**.
- **Redactions/withholding:** If you assert any exceptions, please **seek an Attorney General ruling under §552.301** and release all **segregable** information.

Request #1 – Fire Department/Fire Marshal (Fire Watch & Fire System Impairments)

Please route to: Fire Department / Fire Marshal

1. All records that **mention, impose, or document a "fire watch"** at the above location, including: fire watch orders/directives, impairment notifications/approvals, notices of violation/correction, inspection notes, re-inspection results, clearance/return-to-service documentation, and any **fire watch logs** supplied by the facility.
2. All records of **fire protection system impairments** (fire alarm, sprinkler, fire pump, kitchen hood suppression), including impairment forms, acceptance/functional test results, and any attachments (photos/diagrams).
3. **Correspondence (including email with attachments)** between Fire Department/Fire Marshal personnel and Walmart staff, property managers, or contractors **referencing fire watch or impaired fire protection systems** at this site.
4. Any incident/inspection reports coded with or referencing: *fire watch, alarm trouble, alarm out of service, sprinkler impairment, system impairment*, or similar terminology for this site.

Request #2 – Utilities/Public Works (Wastewater, Sewer, Stormwater/MS4, FOG/Grease)

Please route to: Utilities/Public Works (Wastewater Collection, Stormwater/MS4, Permitting/ROW)

1. **Sanitary sewer**: work orders, service requests, emergency responses, **line break/repair reports**, **CCTV inspection videos and logs**, smoke/dye test results, cleaning/jetting logs, and maps/as-builts for the collection system serving the site and any work performed in the **parking lot/frontage**.
2. **SSO/unauthorized discharge** records and reports (including TCEQ notifications), field notes, photos, corrective actions, and post-incident summaries in or affecting the site.
3. **FOG/grease** program records involving Walmart #131 or food service tenants within it: grease trap/interceptor inspection reports, pump-out/manifests (if held), notices of violation, enforcement actions, correspondence, and compliance follow-ups.
4. **Stormwater/MS4**: illicit discharge complaints/investigations, inspections, enforcement actions, photos, and any records of **non-stormwater discharges (e.g., grease) to storm drains** associated with the

site.

5. **Permits**: right-of-way/street-cut/excavation permits, utility connection/tap records, and **locate/mark-out** tickets related to sewer/storm infrastructure at or immediately adjacent to the store.
6. **Correspondence (including email with attachments)** among Utilities/Public Works, Code/Permitting, the City Manager's Office, and Walmart or its contractors regarding **sewer/stormwater issues, line breaks/repairs, SSOs, illicit discharges, or FOG** at this location.

Request #3 – Cross-Department Emails, Permits & Code/Building Records

Please route to: City Manager's Office, City Secretary, Building/Permitting, Code Compliance, Fire, Utilities/Public Works (as appropriate)

1. **Emails (with attachments)** among the City Manager's Office, City Secretary, Building/Permitting, Code Compliance, Fire Department, Utilities/Public Works, and outside parties (Walmart, property managers, and contractors) **concerning any "fire watch," fire protection system impairment, sewer/wastewater/stormwater issue, SSO, illicit discharge, grease/FOG, or related excavation/repair at this site**.
    - **Email fields requested:** From/To/CC/BCC, Subject, Date/Time, full message body, and all attachments.
    - **Preferred formats:** native **.msg/.pst** if feasible; otherwise, PDF with attachments preserved.
2. **Permits/approvals** not captured elsewhere, including **building permits**, **special inspections**, or site plan adjustments relating to **fire protection impairments** or **sewer/storm repairs** at this location.
3. Any **internal memoranda, briefings, or meeting notes** specifically addressing **fire watch** periods or **wastewater/stormwater incidents** at this store.

Important: I am **not** submitting my **Police/Dispatch (CAD/911)** request in this email; I will send that request separately.

Please confirm receipt of this email and provide the **three separate tracking numbers**, along with the assigned point of contact for each request. Do not hesitate to contact me if narrowing would materially reduce cost or time.

Thank you for your assistance.

With gratitude,

Kyle Moring

[redacted]

From:	Candias Webster
To:	Kyle Moring <[redacted]>
Cc:	Austin Beck <abeck@dtrglaw.com>
Date:	2025-10-31 20:29:15.317898+00:00
Subject:	**RE: Texas PIA – Three Separate Requests (Please Assign Separate Tracking Nos.) – Walmart Supercenter #131, 2311 S. Jefferson Ave., Mount Pleasant, TX – 1/1/2021–10/18/2025**
Attachments:	20251020111220189.pdf, Fire Action Codes.pdf, Fire Inspection 7-23-21.PDF, Fire Inspection 9-11-24.PDF
USB file:	RE Texas PIA – Three Separate Requests (Please Assign Separate Tracking Nos.) – Walmart Supercenter #131, 2311 S. Jefferson Ave_1.msg

Good afternoon, Kyle,

1. Fire – Please find attached “Fire Action Code, Fire Inspection 07-23-21, and Fire Inspection 9-11-224 documents related to request #1
2. Utilities – Please find attached 2025102011220189 related to request #2. We did turn their water off a few times for water line breaks that were Walmart's repairs, their own lines, but we don't document turning off water.
3. We have no information for this request.

We will consider these requests closed as of today.

Thank you,
Candias Webster, TRMC, CMC
Assistant City Manager/ City Secretary
City of Mt. Pleasant
Office: 903-575-4154
Cell: [redacted]
Fax: 903-577-1828

ATTENTION OFFICIALS: A "Reply to All" on this e-mail or reply or forward to one other official could lead to violations of the Texas Open Meetings Act. Please reply only to the sender.

CONFIDENTIALITY NOTICE: This e-mail is intended solely for the person or entity to which it is addressed and may contain confidential and/or privileged information. Any review, dissemination, copying, printing, or other use of this e-mail by persons or entities other than the addressee is prohibited. If you have received this e-mail in error, please contact the sender immediately and delete the material from your computer.

From: Kyle Moring <[redacted]>
Sent: Saturday, October 18, 2025 1:04 PM
To: Candias Webster <cwebster@mpcity.org>
Cc: Austin Beck <abeck@dtrglaw.com>
Subject: Texas PIA – Three Separate Requests (Please Assign Separate Tracking Nos.) – Walmart Supercenter #131, 2311 S. Jefferson Ave., Mount Pleasant, TX – 1/1/2021–10/18/2025

CAUTION: [EXTERNAL EMAIL]

Good afternoon,

Pursuant to the **Texas Public Information Act (Texas Gov’t Code ch. 552)**, I am submitting **three separate public information requests** concerning **Walmart Supercenter #131, 2311 S. Jefferson Ave., Mount Pleasant, Texas 75455**, for the date range **January 1, 2021, through October 18, 2025**. I am sending them in one email for convenience, but **please treat each numbered item below as a separate request, assign a distinct tracking number to each, and process them independently (including separate cost estimates and timelines).**

Common parameters for all three requests

- **Date range:** 1/1/2021–10/18/2025
- **Location:** Walmart Supercenter #131, 2311 S. Jefferson Ave., Mount Pleasant, TX 75455 (include adjacent city-owned sewer/storm infrastructure serving the site).
- **Delivery format:** Electronic production only—PDF for documents; CSV/Excel for tabular data/exports; native **.msg/.pst** for emails where feasible; original digital format for media (e.g., CCTV videos). Please deliver by email or a download link.
- **Search terms to aid retrieval:** “Walmart,” “Wal-Mart,” “Store 131,” “2311 S Jefferson,” “fire watch,” “impairment,” “sprinkler,” “alarm,” “system out of service,” “sewer,” “line break,” “repair,” “CCTV,” “SSO,” “overflow,” “illicit discharge,” “stormwater,” “FOG,” “grease.”

- **Fees:** If estimated charges **exceed $100**, please send an **itemized estimate under §552.2615** before proceeding. I consent to **rolling/partial production**.
- **Redactions/withholding:** If you assert any exceptions, please **seek an Attorney General ruling under §552.301** and release all **segregable** information.

Request #1 – Fire Department/Fire Marshal (Fire Watch & Fire System Impairments)

Please route to: Fire Department / Fire Marshal

1. All records that **mention, impose, or document a "fire watch"** at the above location, including: fire watch orders/directives, impairment notifications/approvals, notices of violation/correction, inspection notes, re-inspection results, clearance/return-to-service documentation, and any **fire watch logs** supplied by the facility.
2. All records of **fire protection system impairments** (fire alarm, sprinkler, fire pump, kitchen hood suppression), including impairment forms, acceptance/functional test results, and any attachments (photos/diagrams).
3. **Correspondence (including email with attachments)** between Fire Department/Fire Marshal personnel and Walmart staff, property managers, or contractors **referencing fire watch or impaired fire protection systems** at this site.
4. Any incident/inspection reports coded with or referencing: *fire watch, alarm trouble, alarm out of service, sprinkler impairment, system impairment*, or similar terminology for this site.

Request #2 – Utilities/Public Works (Wastewater, Sewer, Stormwater/MS4, FOG/Grease)

Please route to: Utilities/Public Works (Wastewater Collection, Stormwater/MS4, Permitting/ROW)

1. **Sanitary sewer**: work orders, service requests, emergency responses, **line break/repair reports**, **CCTV inspection videos and logs**, smoke/dye test results, cleaning/jetting logs, and maps/as-builts for the collection system serving the site and any work performed in the **parking lot/frontage**.
2. **SSO/unauthorized discharge** records and reports (including TCEQ notifications), field notes, photos, corrective actions, and post-incident summaries in or affecting the site.
3. **FOG/grease** program records involving Walmart #131 or food service tenants within it: grease trap/interceptor inspection reports, pump-out/manifests (if held), notices of violation, enforcement actions, correspondence, and compliance follow-ups.
4. **Stormwater/MS4**: illicit discharge complaints/investigations, inspections, enforcement actions, photos, and any records of **non-stormwater discharges (e.g., grease) to storm drains** associated with the site.
5. **Permits**: right-of-way/street-cut/excavation permits, utility connection/tap records, and **locate/mark-out** tickets related to sewer/storm infrastructure at or immediately adjacent to the store.
6. **Correspondence (including email with attachments)** among Utilities/Public Works, Code/Permitting, the City Manager's Office, and Walmart or its contractors regarding **sewer/stormwater issues, line breaks/repairs, SSOs, illicit discharges, or FOG** at this location.

Request #3 – Cross-Department Emails, Permits & Code/Building Records

Please route to: City Manager's Office, City Secretary, Building/Permitting, Code Compliance, Fire, Utilities/Public Works (as appropriate)

1. **Emails (with attachments)** among the City Manager's Office, City Secretary, Building/Permitting, Code Compliance, Fire Department, Utilities/Public Works, and outside parties (Walmart, property managers, and contractors) **concerning any "fire watch," fire protection system impairment, sewer/wastewater/stormwater issue, SSO, illicit discharge, grease/FOG, or related excavation/repair at this site**.
    - **Email fields requested:** From/To/CC/BCC, Subject, Date/Time, full message body, and all attachments.
    - **Preferred formats:** native **.msg/.pst** if feasible; otherwise, PDF with attachments preserved.
2. **Permits/approvals** not captured elsewhere, including **building permits**, **special inspections**, or site plan adjustments relating to **fire protection impairments** or **sewer/storm repairs** at this location.
3. Any **internal memoranda, briefings, or meeting notes** specifically addressing **fire watch** periods or **wastewater/stormwater incidents** at this store.

Important: I am **not** submitting my **Police/Dispatch (CAD/911)** request in this email; I will send that request separately.

Please confirm receipt of this email and provide the **three separate tracking numbers**, along with the assigned point of contact for each request. Do not hesitate to contact me if narrowing would materially reduce cost or time.

Thank you for your assistance.

With gratitude,

Kyle Moring

[redacted] | [redacted]

* **Inspection Date:** 07/31/2025

* **Inspector:** Juan Ramirez

Accompanied By:

* **Purpose:** Routine

Grease Trap Inspection Violations

Search violations

Only the first 20 results will be displayed. For better results, enter more characters.

Grease Trap Inspection

Inspection Outcome: Passed

Conversations

No conversations found

Record History

08/01/2025 09:55 AM CDT - Juan Ramirez
Original record not available to compare
Comment: Record created.

* **Inspection Date:** 01/31/2025

* **Inspector:** Juan Ramirez

Accompanied By:

* **Purpose:** Routine

Grease Trap Inspection Violations

Search violations

Only the first 20 results will be displayed. For better results, enter more characters.

Grease Trap Inspection

Inspection Outcome: Passed

Next Inspection Date: mm/dd/yyyy

Conversations

No conversations found

Record History

06/11/2025 08:08 AM CDT - John Ankrum
Records are not available to compare
Comment: Successful generation.

01/31/2025 04:43 PM CST - Juan Ramirez
Original record not available to compare
Comment: Record created. Uploaded from HSTouch

Mt. Pleasant Fire Department

Mt Pleasant, TX

This report was generated on 10/23/2025 10:45:50 AM

Occupancies by Action Codes for Occupancy for Date Range

Occupancies: WALMART | Occupancy Action(s): All Occupancy Actions | Start Date: 10/01/2021 | End Date: 10/18/2025

ID	NAME	ADDRESS	ACTION DATE	DESCRIPTION
Occupancy Action: Alarm - Fire Alarm Test				
50A	WALMART	2311 S JEFFERSON	08/30/2024	Fire alarm test on new install and add on of building. Everything passed on visual and audibles.
Occupancy Action: OTHER - OTHER				
50A	WALMART	2311 S JEFFERSON	09/08/2023	At 12:07 AM we got a call to this location on orange water coming out of the ground and walls by FDC. We found a water main was broken and we had to shut the water down to the facility. fire watch had been put in place until problem is fixed .
50A	WALMART	2311 S JEFFERSON	09/08/2023	Just FYI the water shut off for the building is up in front of the murphy's station . by the entrance across from the cash store.

Report pulls Occupancy Actions entered on the 'Action' tab inside the Occupancy Detail screen.

Mt. Pleasant Fire Department

Occupancy: **WALMART**
Occupancy ID: **50A**
Address: **2311 JEFFERSON Mt. Pleasant TX 75455**

Form: MPFD Inspection Form - NEW

Inspection Type: **Annual**
Inspection Date: **7/23/2021** By: COOK , ADAM (359)
Time In: **13:31** Time Out: **13:49**
Authorized Date: **07/23/2021** By: COOK , ADAM (359)

Inspection Topics:

General Fire Protection

Other
Violation not listed above:
Status: FAIL
Notes: Replace missing or broken ceiling tiles through out building including North and South entry electrical rooms.

Other:
Violation not listed above:
Status: FAIL
Notes: Remove cardboard from ceiling space in grocery pick up area (new edition), and replace with fire rated material.

Fire Protection Systems

Sprinkler heads free of dust and or paint over spray? B903.1
Are the sprinkler heads clean and not painted?
Status: FAIL
Notes: Clean sprinkler heads that have excessive dust or debris covering (automotive office area).

Maintain sprinkler system? B903.1
Has the sprinkler system been maintain and kept in working order?
Status: FAIL
Notes: Sprinkler system in battery room needs updated inspection.

Other
Violation not listed above:
Status: FAIL
Notes: Place a sign on door of riser room that reads "Riser Room"

Alarm Systems

Maintain fire alarm system in operable condition? 907
is the system maintained and kept in working order?
Status: FAIL
Notes: Have customer service area alarm panel checked and repaired if needed. (trouble code showing)

Other
Violation not listed above:
Status: FAIL
Notes: Place "FACP" sign on chain link to indicate location of main fire alarm panel.

Electrical

Covers on electrical outlets and switches? 605.6

All electrical outlets and switches must have cover plates on them.

Status: FAIL
Notes: Cover electrical and data junction boxes in GM unload room

Electrical Room and electrical panel properly labeled? 605.3.1

Are the breakers in the electrical panel labeled?

Status: FAIL
Notes: Place sign on doors of rooms containing electrical panels labeled "Electrical Room" (North and South entry rooms, etc.)

Hazardous Materials

Hazardous Identification Signs Posted? 2703.5

Visible hazard identification signs as specified in NFPA 704

Status: FAIL
Notes: NFPA 704 placard needed on outside used oil storage gate.
NFPA 704 placard needed on outside propane cylinder storage as well.

Additional Time Spent on Inspection:

Category	Start Date / Time	End Date / Time

Notes: No Additional time recorded

Total Additional Time: 0 minutes

Inspection Time: 18 minutes

Total Time: 18 minutes

Summary:

Overall Result: Correction Notice Issued

Inspector Notes: *Make duplicate keys for alarm system pull stations.

Inspector:

Name: COOK , ADAM
Rank: Driver
Work Phone(s): 9035754144
Email(s): acook@mpcity.org, mp_fireman@yahoo.com
COOK , ADAM:




Signed on: 07/23/2021 13:50

Signature *Date*

Representative Signature:

Signature of: Steve Graves on 07/23/2021 13:50



Signature *Date*

Mt. Pleasant Fire Department

Occupancy: **WALMART**
Occupancy ID: **50A**
Address: **2311 JEFFERSON Mt. Pleasant TX 75455**

Form: MPFD Inspection Form - NEW

Inspection Type: **Reinspection**
Inspection Date: **9/11/2024** By: CRAIG , CODY (407)
Time In: **13:46** Time Out: **14:42**
Authorized Date: **Not Authorized** By:

Inspection Topics:

General Fire Protection

Other

Violation not listed above:

Status: PASS
Notes: All ceiling tiles that are missing throughout the store need to be replaced.

Corrected



Fire Protection Systems

Maintain sprinkler system? B903.1

Has the sprinkler system been maintain and kept in working order?

Status: PASS
Notes: This riser system is by the mechanic shop in the battery storage room. This riser was missed when getting an inspection and needs to be brought up to date.

Corrected 12/3/2024



Other

Violation not listed above:

Status: FAIL
Notes: There is no way for the water to access the lower parts of the storage rack if something were to catch on fire. I would recommend wall mounted sprinkler heads or having a wire style storage racks.
Also there needs to be an (explosive) placard on the door of the room where the guns and ammo is stored.

Re visited on 12/3/2024. Still not taken care of.



Electrical

Maintain 30 inch clearance to all electrical panels? 605.3

There has to be a 30 inch clearance around all panels.

Status: PASS
Notes: All breaker panels need to maintain an 30 inch clearance all the way around the panel from any combustibles.



Exits

Other

Violation not listed above:

Status: FAIL
Notes: These doors are located in the photo lab. We ask that there is a "roof access " sign mounted here and on the fence that goes to the roof access ladder. Preferably a 12x12 sign with 2 inch letters.



Additional Time Spent on Inspection:

Category	Start Date / Time	End Date / Time

Notes: No Additional time recorded

Total Additional Time: 0 minutes

Inspection Time: 56 minutes

Total Time: 56 minutes

Summary:

Overall Result: Second Correction Notice

Inspector Notes:

Inspector:

Name: CRAIG , CODY
Rank: FF
Work Phone(s): 9035754144
Email(s): ccraig@mpcity.org
CRAIG , CODY:




Signed on: 01/24/2024 14:14

Signature *Date*

Representative Signature:

Signature of: Emailed on 01/24/2024 14:14



Signature *Date*

From:	Austin Beck <abeck@dtrglaw.com>
To:	Candias Webster <cwebster@mpcity.org>
Cc:	
Date:	2025-10-31 21:16:32+00:00
Subject:	**Re: Texas PIA – Three Separate Requests (Please Assign Separate Tracking Nos.) – Walmart Supercenter #131, 2311 S. Jefferson Ave., Mount Pleasant, TX – 1/1/2021–10/18/2025**
Attachments:	—
USB file:	Re Texas PIA – Three Separate Requests (Please Assign Separate Tracking Nos.) – Walmart Supercenter #131, 2311 S. Jefferson Ave_4.msg

CAUTION: [EXTERNAL EMAIL]

Yes, you may. Since it is less than $40, he can be required to pay without first issuing a cost estimate letter. You can just let him know that the charges are $15.00, and the records will be made available to him once payment is received.

Itemized receipt will just say: 1 hour of personnel time @ $15.00/hour = $15.00 total.

Austin Beck

www.dtrglaw.com

Pyramid Building
601 NW Loop 410, Suite 100
San Antonio, Texas 78216
210-349-6484 Main Office
210-442-2343 Direct
210-349-0041 Fax

ATTENTION OFFICIALS: A "Reply to All" on this e-mail or reply or forward to one other official could lead to violations of the Texas Open Meetings Act. Please reply only to the sender.

CONFIDENTIAL NOTICE: The information in this e-mail may be confidential and/or privileged. This e-mail is intended to be reviewed by only the individual or individuals named above. If you are not the intended recipient or an authorized representative of the intended recipient, you are hereby notified that any review, dissemination or copying of this e-mail or the information contained herein is prohibited. If you received this e-mail in error, please immediately notify the sender by return e-mail and delete this e-mail from your system.

> On Oct 31, 2025, at 9:45 AM, Kyle Moring <[redacted]> wrote:
>
> Ms. Webster,
>
> For my records, could you please provide an itemized receipt (including tasks & minutes, page counts by format, unit rates, and any applicable overhead/media costs)?
>
> Additionally, how would you prefer me to pay for these documents (in person, by phone, or online)?
>
> With gratitude,
>
> Kyle Moring
>
> [redacted] | [redacted]
>
> > On Oct 31, 2025, at 9:06 AM, Candias Webster <cwebster@mpcity.org> wrote:
> >
> > Good morning, Mr. Moring,
> >
> > Your request on October 20, 2025, titled "Texas PIA – Three Separate Requests (Please Assign Separate Tracking Nos.) – Walmart Supercenter #131, 2311 S. Jefferson Ave., Mount Pleasant, TX – 1/1/2021–10/18/2025" will result in a $15 charge.
> >
> > **Thank you,**
> > **Candias Webster, TRMC, CMC**
> > **Assistant City Manager/ City Secretary**

City of Mt. Pleasant
Office: 903-575-4154
Cell: [redacted]
Fax: 903-577-1828

ATTENTION OFFICIALS: A "Reply to All" on this e-mail or reply or forward to one other official could lead to violations of the Texas Open Meetings Act. Please reply only to the sender.

CONFIDENTIALITY NOTICE: This e-mail is intended solely for the person or entity to which it is addressed and may contain confidential and/or privileged information. Any review, dissemination, copying, printing, or other use of this e-mail by persons or entities other than the addressee is prohibited. If you have received this e-mail in error, please contact the sender immediately and delete the material from your computer.

From: Kyle Moring <[redacted]>
Sent: Saturday, October 18, 2025 1:04 PM
To: Candias Webster <cwebster@mpcity.org>
Cc: Austin Beck <abeck@dtrglaw.com>
Subject: Texas PIA – Three Separate Requests (Please Assign Separate Tracking Nos.) – Walmart Supercenter #131, 2311 S. Jefferson Ave., Mount Pleasant, TX – 1/1/2021–10/18/2025

CAUTION: [EXTERNAL EMAIL]

Good afternoon,

Pursuant to the **Texas Public Information Act (Texas Gov't Code ch. 552)**, I am submitting **three separate public information requests** concerning **Walmart Supercenter #131, 2311 S. Jefferson Ave., Mount Pleasant, Texas 75455**, for the date range **January 1, 2021, through October 18, 2025**. I am sending them in one email for convenience, but **please treat each numbered item below as a separate request, assign a distinct tracking number to each, and process them independently (including separate cost estimates and timelines).**

Common parameters for all three requests

- **Date range:** 1/1/2021–10/18/2025
- **Location:** Walmart Supercenter #131, 2311 S. Jefferson Ave., Mount Pleasant, TX 75455 (include adjacent city-owned sewer/storm infrastructure serving the site).
- **Delivery format:** Electronic production only—PDF for documents; CSV/Excel for tabular data/exports; native **.msg/.pst** for emails where feasible; original digital format for media (e.g., CCTV videos). Please deliver by email or a download link.
- **Search terms to aid retrieval:** "Walmart," "Wal-Mart," "Store 131," "2311 S Jefferson," "fire watch," "impairment," "sprinkler," "alarm," "system out of service," "sewer," "line break," "repair," "CCTV," "SSO," "overflow," "illicit discharge," "stormwater," "FOG," "grease."
- **Fees:** If estimated charges **exceed $100**, please send an **itemized estimate under §552.2615** before proceeding. I consent to **rolling/partial production**.
- **Redactions/withholding:** If you assert any exceptions, please **seek an Attorney General ruling under §552.301** and release all **segregable** information.

Request #1 – Fire Department/Fire Marshal (Fire Watch & Fire System Impairments)

Please route to: Fire Department / Fire Marshal

1. All records that **mention, impose, or document a "fire watch"** at the above location, including: fire watch orders/directives, impairment notifications/approvals, notices of violation/correction, inspection notes, re-inspection results, clearance/return-to-service documentation, and any **fire watch logs** supplied by the facility.
2. All records of **fire protection system impairments** (fire alarm, sprinkler, fire pump, kitchen hood suppression), including impairment forms, acceptance/functional test results, and any attachments (photos/diagrams).
3. **Correspondence (including email with attachments)** between Fire Department/Fire Marshal personnel and Walmart staff, property managers, or contractors **referencing fire watch or impaired fire protection systems** at this site.
4. Any incident/inspection reports coded with or referencing: *fire watch, alarm trouble, alarm out of service, sprinkler impairment, system impairment*, or similar terminology for this site.

Request #2 – Utilities/Public Works (Wastewater, Sewer, Stormwater/MS4, FOG/Grease)

Please route to: Utilities/Public Works (Wastewater Collection, Stormwater/MS4, Permitting/ROW)

1. **Sanitary sewer**: work orders, service requests, emergency responses, **line break/repair reports**, **CCTV inspection videos and logs**, smoke/dye test results, cleaning/jetting logs, and maps/as-builts for the collection system serving the site and any work performed in the **parking lot/frontage**.
2. **SSO/unauthorized discharge** records and reports (including TCEQ notifications), field notes, photos, corrective actions, and post-incident summaries in or affecting the site.
3. **FOG/grease** program records involving Walmart #131 or food service tenants within it: grease trap/interceptor inspection reports, pump-out/manifests (if held), notices of violation, enforcement actions, correspondence, and compliance follow-ups.
4. **Stormwater/MS4**: illicit discharge complaints/investigations, inspections, enforcement actions, photos, and any records of **non-stormwater discharges (e.g., grease) to storm drains** associated with the site.
5. **Permits**: right-of-way/street-cut/excavation permits, utility connection/tap records, and **locate/mark-out** tickets related to sewer/storm infrastructure at or immediately adjacent to the store.
6. **Correspondence (including email with attachments)** among Utilities/Public Works, Code/Permitting, the City Manager's Office, and Walmart or its contractors regarding **sewer/stormwater issues, line breaks/repairs, SSOs, illicit discharges, or FOG** at this location.

Request #3 – Cross-Department Emails, Permits & Code/Building Records

Please route to: City Manager's Office, City Secretary, Building/Permitting, Code Compliance, Fire, Utilities/Public Works (as appropriate)

1. **Emails (with attachments)** among the City Manager's Office, City Secretary, Building/Permitting, Code Compliance, Fire Department, Utilities/Public Works, and outside parties (Walmart, property managers, and contractors) **concerning any "fire watch," fire protection system impairment, sewer/wastewater/stormwater issue, SSO, illicit discharge, grease/FOG, or related excavation/repair at this site**.
    - **Email fields requested:** From/To/CC/BCC, Subject, Date/Time, full message body, and all attachments.
    - **Preferred formats:** native **.msg/.pst** if feasible; otherwise, PDF with attachments preserved.
2. **Permits/approvals** not captured elsewhere, including **building permits**, **special inspections**, or site plan adjustments relating to **fire protection impairments** or **sewer/storm repairs** at this location.
3. Any **internal memoranda, briefings, or meeting notes** specifically addressing **fire watch** periods or **wastewater/stormwater incidents** at this store.

Important: I am **not** submitting my **Police/Dispatch (CAD/911)** request in this email; I will send that request separately.

Please confirm receipt of this email and provide the **three separate tracking numbers**, along with the assigned point of contact for each request. Do not hesitate to contact me if narrowing would materially reduce cost or time.

Thank you for your assistance.

With gratitude,

Kyle Moring

[redacted]