From: ErrorTracker@epa.gov
Subject: NOTIFIED SUBMITTER OF ROUTING DETAILS: FOR ERROR # 130974
Date: January 22, 2026 at 5:08 PM
To: [redacted] [redacted] ErrorTracker@epa.gov, ets@cgifederal.com

EPA has begun processing your error notification (see error text below). This notification has been forwarded to the following system action officer for review and resolution:

EPA-ERROR-NPDES@tceq.texas.gov

EPA will send you a status report when actions are taken to resolve this error notification. If this error is not resolved after a year, it will be closed.

REPORTED ERROR DESCRIPTION FOR ERROR # 130974:
SYSTEM ACRONYM = ICIS-NPDES, SYSTEM ID = TX0062936, The incorrect zip code is listed for this facility. The correct zip code is 75455. There is also two other FRS ID associated with the same site that has multiple violations and significant noncompliance status, yet showing no violations. The site with violations is listed with the incorrect zipcode: PILGRIMS PRIDE SOUTHWEST WASTEWATER PLANT,664 FM ROAD 127 WEST, MOUNT PLEASANT, TX 74556,FRS ID 110064645512. Then there are two other facility addresses for the same site but different names/addresses/FRS IDs: PILGRIMS PRIDE SOUTHWEST PLANT - 1107 MONTICELLO RD, MOUNT PLEASANT, TX 75455 - FRS ID 110071154969 and PILGRIMS WWTP - NORTHWEST CORNER OF US-271 AND FM 127, MOUNT PLEASANT, TX 75455 - FRS ID 110072085119.

ERROR # 130974 WAS SUBMITTED BY:
KYLE MORING, PHONE: [redacted], EMAIL: [redacted] ADDRESS: NOT GIVEN, FAX: NOT GIVEN, ORGANIZATION: NOT GIVEN, AFFILIATION: GENERAL PUBLIC