From: Kyle Moring
Subject: Re: Request for State Fire Marshal Review / Fire & Life-Safety Inspection Assistance — Walmart Supercenter #131 (Mount Pleasant, TX)
Date: December 22, 2025 at 10:00 AM
To: FireInspection FireInspection@tdi.texas.gov

KM

Lieutenant Rusche,

Thank you for your reply and for confirming receipt of my submission.

I respectfully want to clarify that the fire/life-safety concerns in my evidence binder have **already been raised with the City of Mount Pleasant** on multiple occasions, including written notifications and follow-up requests for inspection and enforcement. The City's lack of meaningful response and enforcement action is **the reason I am requesting state-level review and assistance**, rather than another referral back to the same local authority.

For my records, would you please confirm:

1. The date your office forwarded my concerns to the City of Mount Pleasant
2. The specific recipient(s) (name/title) and email address(es) to whom it was forwarded
3. Whether SFMO assigned an internal reference or tracking number

Additionally, please advise what mechanism exists for SFMO to **re-engage or provide oversight** if the City response is not timely or does not address the documented life-safety issues.

With gratitude,

Kyle Douglas Moring

> On Dec 22, 2025, at 9:18 AM, FireInspection <FireInspection@tdi.texas.gov> wrote:
>
> Good Morning,
>
> I am with the State Fire Marshal's Office. We received your email below with your concerns. The City or Mount Pleasant is the authority having jurisdiction and your concerns have been forwarded to that department.
>
> Regards,
>
> **Christopher Rusche**
> Lieutenant – Inspections
> State Fire Marshal's Office
> PO Box 12107
> Austin, Texas 78711-2107
> 512-417-4663
>
> Stay connected with the State Fire Marshal's Office
> Twitter | Facebook | LinkedIn | YouTube | Subscribe

From: Kyle Moring <_____ _____>
Sent: Sunday, December 21, 2025 10:21
To: FireInspection <FireInspection@tdi.texas.gov>
Cc: FireMarshal <Fire.Marshal@tdi.texas.gov>
Subject: Request for State Fire Marshal Review / Fire & Life-Safety Inspection Assistance — Walmart Supercenter #131 (Mount Pleasant, TX)

ATTENTION: This email came from an external source. Do not open attachments or click on links from unknown or unexpected emails.

Dear State Fire Marshal's Office,

I am respectfully requesting the State Fire Marshal's Office review and assistance regarding ongoing **fire and life-safety concerns** at the following property:

Walmart Supercenter #131

2311 South Jefferson Avenue

Mount Pleasant, Texas 75455

These concerns involve **chronic means-of-egress obstructions**, **documented sprinkler system performance and maintenance deficiencies**, **fire alarm integrity issues**, **hazardous materials and firearms/ammunition storage marking and protection**, and **recurring ceiling system deficiencies** documented by both local fire inspectors and state inspectors over multiple years.

Due to the **recurring nature of these conditions** and the **absence of effective local enforcement** despite repeated written notice, follow-up, and confirmation of unpermitted work, I am requesting **state-level review**.

Please see the attached evidence binder for a complete narrative, timeline, and supporting exhibits, including city fire inspection records, DSHS inspection reports and photo documentation, correspondence with local officials, and related materials.

I respectfully request that the State Fire Marshal's Office:

1. Conduct a fire/life-safety inspection or state-level review of this property, or

2. If a direct inspection is not feasible due to jurisdictional or procedural limitations, provide guidance on the appropriate **state process for referral, oversight, or coordinated enforcement** to ensure these hazards are independently evaluated and corrected.

Please confirm receipt of this submission and advise on next steps, including any preferred method for providing supplemental materials if needed.

Respectfully submitted in good faith,

/s/ Kyle Douglas Moring

Kyle Douglas Moring, M.S., LPC-Associate

Former Asset Protection Investigator – Walmart Store #131

Designated Representative of Current Walmart Store #131 Employees

OSHA §11(c) / FSMA Whistleblower Complainant