Environmental Topics ▾ Laws & Regulations ▾ Report a Pollution ▾ About EPA ▾ Search EPA.gov



# ICIS Detailed Report



## Facility

| FACILITY NAME [1] | CITY OF MOUNT PLEASANT ELECTRICITY WATERWORKS TREATMENT FACILITY | NPDES | TMR00248 |
|---|---|---|---|
| PERMIT [1] | MOUNT PLEASANT | SIC CODE | |
| CITY | MOUNT PLEASANT | MAJOR / MINOR | |
| COUNTY NAME | | TYPE OF OWNERSHIP | Local Government (e.g., Public/Private) |
| STATE | TX | ACTIVITY STATUS | Effective |
| ZIP CODE | 75455 | INACTIVE DATE | |
| REGION | Region 6 | TYPE OF PERMIT ISSUED | General Permit Covered Facility |
| LATITUDE | 33.1 | ORIGINAL PERMIT ISSUE DATE | 10-MAY-2021 |
| LONGITUDE | 94.96 | PERMIT ISSUED DATE | 10-MAY-2021 |
| LATLON CODE OF ACCURACY | | PERMIT EXPIRES DATE | 13-AUG-2026 |
| LATLON REGION | | | |
| LATLON SOURCE | | LEGAL STATUS CODE | |
| LATLON METHOD | | FLOW | |
| RECEIVING WATERS | | FEDERAL AGENCY ID | |
| NAICS CODE(S) | | FACILITY LOCATION | NON-POTW |
| MAILING NAME | CITY OF MOUNT PLEASANT ELECTRICITY WATERWORKS TREATMENT FACILITY | FACILITY RELATED PERMIT NUM | |
| MAILING STREET NUMBER | 500 COUNTY ROAD 4240 | ANNUAL FEE CLOSED DATE | |
| MAILING STREET 1 | | | |
| MAILING CITY | MOUNT PLEASANT | | |
| MAILING STATE | TX | | |
| MAILING ZIP CODE | | | |
| GOVERNMENT OFFICIAL | | STANDARD OFFICIAL TEL | |

## Activity

| FACILITY NAME [1] | CITY OF MOUNT PLEASANT ELECTRICITY WATERWORKS TREATMENT FACILITY | NPDES | TMR00248 |
|---|---|---|---|

| Activity Name | Activity Type Description | Activity Status Description | Activity Status Date | Actual Begin Date | Actual End Date |
|---|---|---|---|---|---|
| MOUNT PLEASANT WWTP | Inspection/Evaluation | Active | 07-MAY-2025 | 06-MAR-2025 | 10-MAY-2025 |
| MOUNT PLEASANT WWTP | Inspection/Evaluation | Active | 12-AUG-2021 | 10-AUG-2021 | 05-JUN-2025 |
| | Permit | Active | 01-MAY-2022 | | |
| MOUNT PLEASANT WWTP | Inspection/Evaluation | Active | 10-MAY-2021 | 20-APR-2021 | 20-APR-2021 |
| | Permit | Active | 10-OCT-2016 | | |

## Contacts

| FACILITY NAME [1] | CITY OF MOUNT PLEASANT ELECTRICITY WATERWORKS TREATMENT FACILITY | NPDES | TMR00248 |
|---|---|---|---|

| First Name | Last Name | Responsibility Partial Description | Telephone Number | Telephone Extension Number | Phone Type Description | Affiliation Type Description |
|---|---|---|---|---|---|---|
| Kenetic | Echols II | CITY OF MOUNT PLEASANT | | | | DMR Mailing Address |

## Permit Tracking

| FACILITY NAME [1] | CITY OF MOUNT PLEASANT ELECTRICITY WATERWORKS TREATMENT FACILITY | NPDES | TMR00248 |
|---|---|---|---|
| PERMIT ISSUED DATE | 10-MAY-2021 | ORIGINAL DATE OF ISSUE | 10-MAY-2021 |
| PERMIT ISSUED DATE | 13-OCT-2017 | PERMIT EXPIRES DATE | 13-AUG-2021 |
| EFFECTIVE DATE | 01-NOV-2017 | RETIREMENT DATE | 10-NOV-2021 |

| FACILITY NAME [1] | CITY OF MOUNT PLEASANT ELECTRICITY WATERWORKS TREATMENT FACILITY | NPDES | TMR00248 |
|---|---|---|---|
| PERMIT ISSUED DATE | 13-OCT-2017 | ORIGINAL DATE OF ISSUE | 13-OCT-2017 |
| PERMIT ISSUED DATE | 01-NOV-2017 | PERMIT EXPIRES DATE | 13-AUG-2021 |
| EFFECTIVE DATE | 01-NOV-2017 | RETIREMENT DATE | |

# Permit Tracking Events

| Event Description | Event Date |
|---|---|
| Permit Expiration | 13-AUG-2026 |
| Permit Effective | 01-NOV-2021 |
| Permit Received | 30-JUN-2021 |
| Application/NOI Complete | 03-NOV-2021 |
| Permit Issued | 10-MAY-2021 |
| Permit Issued | 10-MAY-2021 |
| Permit Expiration | 13-AUG-2021 |
| Permit Effective | 01-NOV-2017 |
| Permit Issued | 13-OCT-2017 |
| Application/NOI Complete | 27-JUN-2017 |
| Application/NOI Received | 13-MAR-2017 |

## Inspections

| FACILITY NAME [1] | CITY OF MOUNT PLEASANT ELECTRICITY WATERWORKS TREATMENT FACILITY | NPDES | TMR00248 |
|---|---|---|---|

| Inspection Type | Date of Inspection |
|---|---|
| MOUNT PLEASANT WWTP | 07-MAY-2025 |
| MOUNT PLEASANT WWTP | 20-MAR-2025 |
| | 10-AUG-2021 |
| MOUNT PLEASANT WWTP | 20-APR-2021 |

## Outfalls/Pipe Schedules

| FACILITY NAME [1] | CITY OF MOUNT PLEASANT ELECTRICITY WATERWORKS TREATMENT FACILITY | NPDES | TMR00248 |
|---|---|---|---|
| OUTFALL TYPE | Treated Effluent | PIPE NUMBER | 001 |
| ACTIVITY STATUS | A | REPORT DESIGNATOR | VF |
| LATITUDE | 33.1 | LONGITUDE | -94.96666 |
| LATLON ACCURACY | | LATLON METHOD | |
| LATLON SOURCE | | LATLON DATUM | |
| PIPE DIAMETER | | GEO-POSITIONING ZONE | |
| PIPE DIAM DUE DATE | | SUBMISSION UNITS | Monthly |
| PIPE DESCRIPTION | | UNITS IN FLOW / POWER | |
| PIPE REFERENCING DATE | | REFERENCING UNITS | |
| UNITS IN REPORTING PERIOD | | DMR COMMENT | |

| FACILITY NAME [1] | CITY OF MOUNT PLEASANT ELECTRICITY WATERWORKS TREATMENT FACILITY | NPDES | TMR00248 |
|---|---|---|---|
| OUTFALL TYPE | Internal Outfall | PIPE NUMBER | 101 |
| ACTIVITY STATUS | A | REPORT DESIGNATOR | |
| LATITUDE | 33.094167 | LONGITUDE | -94.95556 |
| LATLON ACCURACY | | LATLON METHOD | |
| LATLON SOURCE | | LATLON DATUM | |
| PIPE DIAMETER | 36.000 | GEO-POSITIONING ZONE | |
| INACTIVE DATE | | SUBMISSION UNITS | Monthly |
| PIPE DIAM DUE DATE | | UNITS IN FLOW / POWER | |
| PIPE DESCRIPTION | | REFERENCING UNITS | |
| PIPE REFERENCING DATE | | DMR COMMENT | |
| UNITS IN REPORTING PERIOD | | | |

## Limits Report (Form)

| FACILITY NAME [1] | CITY OF MOUNT PLEASANT ELECTRICITY WATERWORKS TREATMENT FACILITY | NPDES | TMR00248 |
|---|---|---|---|
| PIPE NUMBER | 001 | | |
| PIPE DESCRIPTION | | REPORT DESIGNATOR | VF |
| DMR COMMENT | | LIMIT SET TYPE | TRANSFER |

## No DI/E Limits Report (Form)

| FACILITY NAME [1] | CITY OF MOUNT PLEASANT ELECTRICITY WATERWORKS TREATMENT FACILITY | NPDES | TMR00248 |
|---|---|---|---|
| PIPE NUMBER | 001 | | |
| PIPE DESCRIPTION | | REPORT DESIGNATOR | VF |
| DMR COMMENT | | LIMIT SET TYPE | TRANSFER |

## Limits Report (Exclusive)

| FACILITY NAME [1] | CITY OF MOUNT PLEASANT ELECTRICITY WATERWORKS TREATMENT FACILITY | NPDES | TMR00248 |
|---|---|---|---|
| LIMIT TYPE DESCRIPTION | Enforceable | PIPE NUMBER | 001 |
| LIMIT BASIS DATE | 13-AUG-2026 | REPORT DESIGNATOR | VF |
| PARAMETER DESCRIPTION | Arsenic, total [as As] | MONITORING LOCATION | Effluent Gross |
| LIMIT END DATE | 13-AUG-2026 | SEASON NUM | 1 |
| STATUS CHANGE REASON TEXT | | ESW TYPE DESCRIPTION | |
| AGENCY NUMBER | Milligrams per Liter | LIMIT VALUE NUMBER | 0 |
| UNIT DESCRIPTION | | STATISTICAL BASIS LONG DESCRIPTION | Daily Maximum |

| FACILITY NAME [1] | CITY OF MOUNT PLEASANT ELECTRICITY WATERWORKS TREATMENT FACILITY | NPDES | TMR00248 |
|---|---|---|---|
| LIMIT TYPE DESCRIPTION | Enforceable | PIPE NUMBER | 001 |
| LIMIT BASIS DATE | 13-AUG-2026 | REPORT DESIGNATOR | VF |
| PARAMETER DESCRIPTION | Barium, total [as Ba] | MONITORING LOCATION | Effluent Gross |
| LIMIT END DATE | | SEASON NUM | 1 |
| STATUS CHANGE REASON TEXT | | ESW TYPE DESCRIPTION | |
| AGENCY NUMBER | Milligrams per Liter | LIMIT VALUE NUMBER | 2 |
| UNIT DESCRIPTION | | STATISTICAL BASIS LONG DESCRIPTION | Daily Maximum |

| FACILITY NAME [1] | CITY OF MOUNT PLEASANT ELECTRICITY WATERWORKS TREATMENT FACILITY | NPDES | TMR00248 |
|---|---|---|---|
| LIMIT TYPE DESCRIPTION | Enforceable | PIPE NUMBER | 001 |
| LIMIT BASIS DATE | 13-AUG-2026 | REPORT DESIGNATOR | VF |
| PARAMETER DESCRIPTION | Cadmium, total [as Cd] | MONITORING LOCATION | Effluent Gross |
| LIMIT END DATE | | SEASON NUM | 1 |
| STATUS CHANGE REASON TEXT | | ESW TYPE DESCRIPTION | |
| AGENCY NUMBER | Milligrams per Liter | LIMIT VALUE NUMBER | 0 |
| UNIT DESCRIPTION | | STATISTICAL BASIS LONG DESCRIPTION | Daily Maximum |

| FACILITY NAME [1] | CITY OF MOUNT PLEASANT ELECTRICITY WATERWORKS TREATMENT FACILITY | NPDES | TMR00248 |
|---|---|---|---|
| LIMIT TYPE DESCRIPTION | Enforceable | PIPE NUMBER | 001 |
| LIMIT BASIS DATE | 01-DEC-2021 | REPORT DESIGNATOR | VF |
| PARAMETER DESCRIPTION | Chromium, total [as Cr] | MONITORING LOCATION | Effluent Gross |
| LIMIT END DATE | 13-AUG-2026 | SEASON NUM | 1 |
| STATUS CHANGE REASON TEXT | | ESW TYPE DESCRIPTION | |
| AGENCY NUMBER | Milligrams per Liter | LIMIT VALUE NUMBER | 0 |
| UNIT DESCRIPTION | | STATISTICAL BASIS LONG DESCRIPTION | Daily Maximum |

| FACILITY NAME [1] | CITY OF MOUNT PLEASANT ELECTRICITY WATERWORKS TREATMENT FACILITY | NPDES | TMR00248 |
|---|---|---|---|
| LIMIT TYPE DESCRIPTION | Enforceable | PIPE NUMBER | 001 |
| LIMIT BASIS DATE | 01-DEC-2021 | REPORT DESIGNATOR | VF |
| PARAMETER DESCRIPTION | Copper, total [as Cu] | MONITORING LOCATION | Effluent Gross |
| LIMIT END DATE | 13-AUG-2026 | SEASON NUM | 1 |
| STATUS CHANGE REASON TEXT | | ESW TYPE DESCRIPTION | |
| AGENCY NUMBER | Milligrams per Liter | LIMIT VALUE NUMBER | 0 |
| UNIT DESCRIPTION | | STATISTICAL BASIS LONG DESCRIPTION | Daily Maximum |

| FACILITY NAME [1] | CITY OF MOUNT PLEASANT ELECTRICITY WATERWORKS TREATMENT FACILITY | NPDES | TMR00248 |
|---|---|---|---|
| LIMIT TYPE DESCRIPTION | Enforceable | PIPE NUMBER | 001 |
| LIMIT BASIS DATE | 01-DEC-2021 | REPORT DESIGNATOR | VF |
| PARAMETER DESCRIPTION | Fluoride, total [as F] | MONITORING LOCATION | Effluent Gross |
| LIMIT END DATE | 13-AUG-2026 | SEASON NUM | 1 |
| STATUS CHANGE REASON TEXT | | ESW TYPE DESCRIPTION | |
| AGENCY NUMBER | Milligrams per Liter | LIMIT VALUE NUMBER | 0 |
| UNIT DESCRIPTION | | STATISTICAL BASIS LONG DESCRIPTION | Daily Maximum |

| FACILITY NAME [1] | CITY OF MOUNT PLEASANT ELECTRICITY WATERWORKS TREATMENT FACILITY | NPDES | TMR00248 |
|---|---|---|---|
| LIMIT TYPE DESCRIPTION | Enforceable | PIPE NUMBER | 001 |
| LIMIT BASIS DATE | 01-DEC-2021 | REPORT DESIGNATOR | VF |
| PARAMETER DESCRIPTION | Lead, total [as Pb] | MONITORING LOCATION | Effluent Gross |
| LIMIT END DATE | 13-AUG-2026 | SEASON NUM | 1 |
| STATUS CHANGE REASON TEXT | | ESW TYPE DESCRIPTION | |
| AGENCY NUMBER | Milligrams per Liter | LIMIT VALUE NUMBER | 0 |
| UNIT DESCRIPTION | | STATISTICAL BASIS LONG DESCRIPTION | Daily Maximum |

| FACILITY NAME [1] | CITY OF MOUNT PLEASANT ELECTRICITY WATERWORKS TREATMENT FACILITY | NPDES | TMR00248 |
|---|---|---|---|
| LIMIT TYPE DESCRIPTION | Enforceable | PIPE NUMBER | 001 |
| LIMIT BASIS DATE | 01-DEC-2021 | REPORT DESIGNATOR | VF |
| PARAMETER DESCRIPTION | Mercury, total [as Hg] | MONITORING LOCATION | Effluent Gross |
| LIMIT END DATE | 13-AUG-2026 | SEASON NUM | 1 |
| STATUS CHANGE REASON TEXT | | ESW TYPE DESCRIPTION | |
| AGENCY NUMBER | Milligrams per Liter | LIMIT VALUE NUMBER | 0 |
| UNIT DESCRIPTION | | STATISTICAL BASIS LONG DESCRIPTION | Daily Maximum |

| FACILITY NAME [1] | CITY OF MOUNT PLEASANT ELECTRICITY WATERWORKS TREATMENT FACILITY | NPDES | TMR00248 |
|---|---|---|---|
| LIMIT TYPE DESCRIPTION | Enforceable | PIPE NUMBER | 001 |
| LIMIT BASIS DATE | 01-DEC-2021 | REPORT DESIGNATOR | VF |
| PARAMETER DESCRIPTION | Nickel, total [as Ni] | MONITORING LOCATION | Effluent Gross |
| LIMIT END DATE | 13-AUG-2026 | SEASON NUM | 1 |
| STATUS CHANGE REASON TEXT | | ESW TYPE DESCRIPTION | |
| AGENCY NUMBER | Milligrams per Liter | LIMIT VALUE NUMBER | 0 |
| UNIT DESCRIPTION | | STATISTICAL BASIS LONG DESCRIPTION | Daily Maximum |

| FACILITY NAME [1] | CITY OF MOUNT PLEASANT ELECTRICITY WATERWORKS TREATMENT FACILITY | NPDES | TMR00248 |
|---|---|---|---|
| LIMIT TYPE DESCRIPTION | Enforceable | PIPE NUMBER | 001 |
| LIMIT BASIS DATE | 01-DEC-2021 | REPORT DESIGNATOR | VF |
| PARAMETER DESCRIPTION | Selenium, total [as Se] | MONITORING LOCATION | Effluent Gross |
| LIMIT END DATE | 13-AUG-2026 | SEASON NUM | 1 |
| STATUS CHANGE REASON TEXT | | ESW TYPE DESCRIPTION | |
| AGENCY NUMBER | Milligrams per Liter | LIMIT VALUE NUMBER | 0 |
| UNIT DESCRIPTION | | STATISTICAL BASIS LONG DESCRIPTION | Daily Maximum |

| FACILITY NAME [1] | CITY OF MOUNT PLEASANT ELECTRICITY WATERWORKS TREATMENT FACILITY | NPDES | TMR00248 |
|---|---|---|---|
| LIMIT TYPE DESCRIPTION | Enforceable | PIPE NUMBER | 001 |
| LIMIT BASIS DATE | 01-DEC-2021 | REPORT DESIGNATOR | VF |
| PARAMETER DESCRIPTION | Silver, total [as Ag] | MONITORING LOCATION | Effluent Gross |
| LIMIT END DATE | 13-AUG-2026 | SEASON NUM | 1 |
| STATUS CHANGE REASON TEXT | | ESW TYPE DESCRIPTION | |
| AGENCY NUMBER | Milligrams per Liter | LIMIT VALUE NUMBER | 0 |
| UNIT DESCRIPTION | | STATISTICAL BASIS LONG DESCRIPTION | Daily Maximum |

| FACILITY NAME [1] | CITY OF MOUNT PLEASANT ELECTRICITY WATERWORKS TREATMENT FACILITY | NPDES | TMR00248 |
|---|---|---|---|
| LIMIT TYPE DESCRIPTION | Enforceable | PIPE NUMBER | 001 |
| LIMIT BASIS DATE | 01-DEC-2021 | REPORT DESIGNATOR | VF |
| PARAMETER DESCRIPTION | Zinc, total [as Zn] | MONITORING LOCATION | Effluent Gross |
| LIMIT END DATE | 13-AUG-2026 | SEASON NUM | 1 |
| STATUS CHANGE REASON TEXT | | ESW TYPE DESCRIPTION | |
| AGENCY NUMBER | Milligrams per Liter | LIMIT VALUE NUMBER | 0 |
| UNIT DESCRIPTION | | STATISTICAL BASIS LONG DESCRIPTION | Daily Maximum |

## Measurements and Violations

| FACILITY NAME [1] | CITY OF MOUNT PLEASANT ELECTRICITY WATERWORKS TREATMENT FACILITY | NPDES | TMR00248 |
|---|---|---|---|
| LIMIT TYPE | Enforceable | PIPE NUMBER | 001 |
| SEASON NUM | 1 | REPORT DESIGNATOR | VF |
| PARAMETER DESCRIPTION | Arsenic, total [as As] | MONITORING LOCATION | Effluent Gross |

| FACILITY NAME [1] | CITY OF MOUNT PLEASANT ELECTRICITY WATERWORKS TREATMENT FACILITY | NPDES | TMR00248 |
|---|---|---|---|
| LIMIT TYPE | Enforceable | PIPE NUMBER | 001 |
| SEASON NUM | 1 | REPORT DESIGNATOR | VF |
| PARAMETER DESCRIPTION | Barium, total [as Ba] | MONITORING LOCATION | Effluent Gross |

| FACILITY NAME [1] | CITY OF MOUNT PLEASANT ELECTRICITY WATERWORKS TREATMENT FACILITY | NPDES | TMR00248 |
|---|---|---|---|
| LIMIT TYPE | Enforceable | PIPE NUMBER | 001 |
| SEASON NUM | 1 | REPORT DESIGNATOR | VF |
| PARAMETER DESCRIPTION | Cadmium, total [as Cd] | MONITORING LOCATION | Effluent Gross |

| FACILITY NAME [1] | CITY OF MOUNT PLEASANT ELECTRICITY WATERWORKS TREATMENT FACILITY | NPDES | TMR00248 |
|---|---|---|---|
| LIMIT TYPE | Enforceable | PIPE NUMBER | 001 |
| SEASON NUM | 1 | REPORT DESIGNATOR | VF |
| PARAMETER DESCRIPTION | Chromium, total [as Cr] | MONITORING LOCATION | Effluent Gross |

| FACILITY NAME [1] | CITY OF MOUNT PLEASANT ELECTRICITY WATERWORKS TREATMENT FACILITY | NPDES | TMR00248 |
|---|---|---|---|
| LIMIT TYPE | Enforceable | PIPE NUMBER | 001 |
| SEASON NUM | 1 | REPORT DESIGNATOR | VF |
| PARAMETER DESCRIPTION | Copper, total [as Cu] | MONITORING LOCATION | Effluent Gross |

| FACILITY NAME [1] | CITY OF MOUNT PLEASANT ELECTRICITY WATERWORKS TREATMENT FACILITY | NPDES | TMR00248 |
|---|---|---|---|
| LIMIT TYPE | Enforceable | PIPE NUMBER | 001 |
| SEASON NUM | 1 | REPORT DESIGNATOR | VF |
| PARAMETER DESCRIPTION | Lead, total [as Pb] | MONITORING LOCATION | Effluent Gross |

| FACILITY NAME [1] | CITY OF MOUNT PLEASANT ELECTRICITY WATERWORKS TREATMENT FACILITY | NPDES | TMR00248 |
|---|---|---|---|
| LIMIT TYPE | Enforceable | PIPE NUMBER | 001 |
| SEASON NUM | 1 | REPORT DESIGNATOR | VF |
| PARAMETER DESCRIPTION | Mercury, total [as Hg] | MONITORING LOCATION | Effluent Gross |

| FACILITY NAME [1] | CITY OF MOUNT PLEASANT ELECTRICITY WATERWORKS TREATMENT FACILITY | NPDES | TMR00248 |
|---|---|---|---|
| LIMIT TYPE | Enforceable | PIPE NUMBER | 001 |
| SEASON NUM | 1 | REPORT DESIGNATOR | VF |
| PARAMETER DESCRIPTION | Nickel, total [as Ni] | MONITORING LOCATION | Effluent Gross |

| FACILITY NAME [1] | CITY OF MOUNT PLEASANT ELECTRICITY WATERWORKS TREATMENT FACILITY | NPDES | TMR00248 |
|---|---|---|---|
| LIMIT TYPE | Enforceable | PIPE NUMBER | 001 |
| SEASON NUM | 1 | REPORT DESIGNATOR | VF |
| PARAMETER DESCRIPTION | Selenium, total [as Se] | MONITORING LOCATION | Effluent Gross |

| FACILITY NAME [1] | CITY OF MOUNT PLEASANT ELECTRICITY WATERWORKS TREATMENT FACILITY | NPDES | TMR00248 |
|---|---|---|---|
| LIMIT TYPE | Enforceable | PIPE NUMBER | 001 |
| SEASON NUM | 1 | REPORT DESIGNATOR | VF |
| PARAMETER DESCRIPTION | Silver, total [as Ag] | MONITORING LOCATION | Effluent Gross |

| FACILITY NAME [1] | CITY OF MOUNT PLEASANT ELECTRICITY WATERWORKS TREATMENT FACILITY | NPDES | TMR00248 |
|---|---|---|---|
| LIMIT TYPE | Enforceable | PIPE NUMBER | 001 |
| SEASON NUM | 1 | REPORT DESIGNATOR | VF |
| PARAMETER DESCRIPTION | Zinc, total [as Zn] | MONITORING LOCATION | Effluent Gross |

| FACILITY NAME (1) | CITY OF MOUNT PLEASANT-SOUTHSIDE WATEWATER TREATMENT FACILIT | NPDES | TXR05Q185 |
|---|---|---|---|
| LIMIT TYPE | Enforceable | PIPE NUMBER | 001 |
| SEASON NUM | 0 | REPORT DESIGNATOR | UY |
| PARAMETER CODE | Zinc, total [as Zn] | MONITORING LOCATION | Effluent Gross |

| FACILITY NAME (1) | CITY OF MOUNT PLEASANT-SOUTHSIDE WATEWATER TREATMENT FACILIT | NPDES | TXR05Q185 |
|---|---|---|---|
| LIMIT TYPE | Alert | PIPE NUMBER | 001 |
| SEASON NUM | 1 | REPORT DESIGNATOR | UY |
| PARAMETER CODE | BOD, 5-day, 20 deg. C | MONITORING LOCATION | Effluent Gross |

## Compliance Schedules and Violations —

| FACILITY NAME (1) | CITY OF MOUNT PLEASANT-SOUTHSIDE WATEWATER TREATMENT FACILIT | NPDES | TXR05Q185 |
|---|---|---|---|

**No Compliance Schedules Found.**

**No Compliance Violations Found.**

## Pretreatment Inspections/Audits —

| FACILITY NAME (1) | CITY OF MOUNT PLEASANT-SOUTHSIDE WATEWATER TREATMENT FACILIT | NPDES | TXR05Q185 |
|---|---|---|---|

**No ICIS Pretreatment Inspections Found.**

## Pretreatment Performance Summary —

| FACILITY NAME (1) | CITY OF MOUNT PLEASANT-SOUTHSIDE WATEWATER TREATMENT FACILIT | NPDES | TXR05Q185 |
|---|---|---|---|

**No ICIS Pretreatment Performance Summary Information Found.**